




DOCUMENT CHANGE RECORD

C = Created
R = Reviewed
IA = internally approved
EA = authority approval / acceptance

| Issue | Rev. | Part | Change | | Date | Name | Function |
|-------|------|------|--|----|----------|--------|----------|
| 1 | 0 | All | Initial Document | C | 10.10.23 | ULC | QM |
| | | | | R | 10.10.23 | BUA | QM |
| | | | | IA | 12.10.23 | SAT | AccM |
| | | | | EA | 16.02.24 | UK CAA | |
| 2 | 0 | | Relocation C20 Shop capability to SCN Returning C4 and C19 Shop approval Closing Sehlem Facility | C | 16.04.24 | ULC | QM |
| | | | | R | 16.04.24 | ZIT | QM |
| | | | | IA | 16.04.24 | KNA | AccM |
| | | | | EA | | | |
| | | | | | | | |
| | | | | | | | |

| | | |
|---|--|---|
|  |  |  |
| MM | CM/SM | AccM |
| 16.04.2024 | 16.04.2024 | 16.04.2024 |

Authority approval / acceptance

| |
|---------------------|
| Authority: |
| Approved / Accepted |
| Name: |
| Date: |

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

0. INTRODUCTION

Appendix I to RAS SCN MOE: Component maintenance Capability List.

0.1 Table of Contents

| | |
|--|----------|
| 0. Introduction | 2 |
| 0.1 Table of Contents | 2 |
| 0.2 Distribution..... | 2 |
| 0.3 Definitions and Abbreviations | 2 |
| 0.4 Responsibilities | 2 |
| 1. Description | 3 |
| 1.1 Component Maintenance Rating | 3 |
| 1.2 Capability List..... | 3 |

0.2 Distribution

This Appendix I to MOE is part of the RAS SCN process documentation and published accordingly. This Appendix is accessible to all RAS SCN staff via Intranet.
This Appendix an integral part of the UK CAA Part 145 organisation approval UK.145.01478 of RAS SCN.

0.3 Definitions and Abbreviations

Abbreviations are defined in MOE Part 0.5.

0.4 Responsibilities

Maintenance Manager according MOE 1.4.



1. DESCRIPTION

1.1 Component Maintenance Rating

145.A.70(a)9, 145.A.10, AMC1 145.A.10, GM1 145.A.10, 145.A.20, AMC 1&2 145.A.20, 145.A.42(b)(iii), AMC1 145.A.42(b)(iii), AMC 145.A.45(b), 145.A.75(a), 145.A.75(b), 145.A.75(c), 145.A.75(d), 145.A.75(e), 145.A.75(f), Appendix II, Appendix III; GM1 145.A.45(b)

RAS SCN has been approved to perform component maintenance:

- C5 Electrical Power & Lights**
- C6 Equipment**
- C8 Flight Controls**
- C13 Indicating / Recording Systems**
- C14 Landing Gear**
- C18 Protection ice / rain / fire**
- C20 Structures**

1.2 Capability List



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 4 of 18

**Appendix I to UK CAA MOE Issue 2
Component Maintenance Capability**

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|-------------|-------------|-------------------|-----|-----|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
|-------------|-------------|-------------------|-----|-----|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|

| Category C5 | | | | | | | | | | | | | |
|--------------------------------------|---|----------------|-------------------------|--------------------------------|----------------------|----|---|---|---|---|--|------------|--|
| 416381 435CH6 | A/C Battery Dash 8-Q400 | Battery | Saft | 24-30-53 online | 24-30-53 | C5 | X | X | X | X | | 09.07.2020 | |
| 4078-2 40678-2 | A/C Battery ATR | Battery | Saft | 24-31-15 online | 24-31-15 | C5 | X | X | X | X | | 01.01.2009 | |
| 1656-6 1658-6 | A/C Battery Emergency ATR | Battery | Saft | 24-31-19 24-31-20 online | 24-31-19 24-31-20 | C5 | X | X | X | X | | 01.01.2009 | |
| 4078-8 | A/C Battery Fokker 50 | Battery | Saft | 24-33-01 online | 24-33-01 | C5 | X | X | X | X | | 01.01.2009 | |
| 23578 | A/C Battery Fokker 100 | Battery | Saft | 24-33-02 online | 24-33-02 | C5 | X | X | X | X | | 01.01.2009 | |
| TSP-1708L 1152268-1 32472-001 | A/C Battery Dash 8-Q400 | Battery | Marathon (Honeywell) | 24-34-00 online | 24-34-00 | C5 | X | X | X | X | | 16.10.2020 | |
| TSP-408L-1 1152112-2 32441-002 | A/C Battery Dash 8-Q400 | Battery | Marathon (Honeywell) | 24-34-00 online | 24-34-00 | C5 | X | X | X | X | | 16.10.2020 | |
| 61-0478-(x) | Battery Pack | Battery | Grimes Honeywell | Manual by customer | 33-50-52 | C5 | X | X | X | X | | 01.01.2009 | |
| 60-4068-1 60-4068-1LB | Emerg. Exit Light Power Supply | Emerg. Unit | Grimes Honeywell | Manual by customer | 33-50-52 | C5 | X | X | X | X | | 01.01.2009 | |
| 61-3800-series | Battery Pack Power Supply Emergency | Battery | Grimes Honeywell | 33-50-72 DHC online | 33-50-72 | C5 | X | X | X | X | | 13.04.2021 | |
| 60-5025-series | Power Supply Emergency | Emerg. Unit | Grimes Honeywell | 33-50-72 DHC online | 33-50-72 | C5 | X | X | X | X | | 19.03.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 5 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|-----------------------|----------------------------------|-------------------|----------|------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 301-3017 | Battery Pack | Battery | NEC Aero | 33-51-22 CAT Server | 33-51-22 | C5 | X | X | X | X | | 01.01.2009 | |
| 301-3000 | Emerg. Light Power Supply Module | Emerg. Unit | NEC Aero | 33-51-22 CAT Server | 33-51-22 | C5 | X | X | X | X | | 01.01.2009 | |
| 024054-000 257CH-9 | A/C Battery | Battery | Saft | 24-32-01 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 024055-000 427CK-1 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 5912855-01 2726CH1 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 401176-9 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 40678-4 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 40678-2 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 40178-26 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 40178-24 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 4078-4 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 4078-3 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 6 of 18

**Appendix I to UK CAA MOE Issue 2
Component Maintenance Capability**

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|---|---------------------------|-------------------|-------------|--------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 442CH1 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 2778-14 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 2778-1 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 1756-3 | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 1756-1, | A/C Battery | Battery | Saft | 24 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 3301-31 | A/C Battery EPP GLOBAL | Battery | Diehl | 33-51-01 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 3214-30 | A/C Battery | Battery | Diehl | 33 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 3214-31 | A/C Battery | Battery | Diehl | 33 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 30978-002 31879-001 32043-001 39161-001 | A/C Battery | Battery | Marathon | 24-34-00 online | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 501-1075-01 501-1075-02 501-1228-03 501-1228-04 501-1712-01 501-1318-01 501-1712-02 | A/C Battery | Battery | Extant aero | 24 ATS Sever | 24 | C5 | X | X | X | X | | 01.01.2024 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 7 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|--|--------------------------|-------------------|---------------------------|------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 33490409209 | A/C Battery | Battery | Hawker Varta | 24 ATS Server | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| G-6381E | A/C Battery | Battery | Gill | 24 ATS Server | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| RG-380E/40L RG-380E/60L RG-380E/40L RG-380E/60L RG-443 | A/C Battery | Battery | Concorde | 24 ATS Server | 24 | C5 | X | X | X | X | | 01.01.2024 | |
| 3253-10 | Light | Light | Diehl | 33-24-99 online | 33 | C5 | X | X | X | X | | 01.01.2024 | |
| Category C6 | | | | | | | | | | | | | |
| 3A063-0079 se- ries, 3A063-0080 series | Crew Seats As- sembly | Seats | IPECO | 25-11-21 CAT Server | 25-11-21 | C6 | X | X | X | X | | 23.03.2021 | |
| 125-series | Observer Seat ATR600 | Seats | ZODIAC/Sicma Aero Seat | 25-11-22 CAT Server | 25-11-22 | C6 | X | X | X | X | | 01.01.2009 | |
| 3A063-0035 se- ries, 3A063-0036 series, 3A063- 0037 series, 3A063-0038 se- ries | Crew Seat As- sembly | Seats | IPECO | Manual by customer | 25-11-22 | C6 | X | X | X | X | | 01.01.2009 | |
| 1340422 series, 1340422G series | Cabin Crew Seat ATR | Seats | ZODIAC/Sicma Aero Seat | 25-11-23 CAT Server | 25-11-23 | C6 | X | X | X | X | | 01.01.2009 | |
| 1380423 series, 1380823 series | Cabin Crew Seat ATR | Seats | ZODIAC/Sicma Aero Seat | 25-11-44 CAT Server | 25-11-44 | C6 | X | X | X | X | | 01.01.2009 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 8 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|--|---------------------------------|-------------------|---|---------------------|-------------|--------|---------|-----------|-------|----------------|------------------------------------|------------|-------------------|
| 1414-1AA 1414-2AA | Pilot / Co-Pilot Seat | Seats | AMI INDUSTRIES INC.DBA GOODRICH INTERIORS | Manual by customer | 25-14-14 | C6 | X | X | X | X | | 19.03.2021 | |
| 1414-3AA 1414-4AA | Pilot / Co-Pilot Seat | Seats | AMI INDUSTRIES INC.DBA GOODRICH INTERIORS | 25-14-15 DHC online | 25-14-15 | C6 | X | X | X | X | | 19.03.2021 | |
| 1407-series | Pilot / Co-Pilot Seat | Seats | AMI INDUSTRIES INC.DBA GOODRICH INTERIORS | Manual by customer | 25-14-17 | C6 | X | X | X | X | | 19.03.2021 | |
| 133(xx-xxxx)EG 133(xx-xxxx)EH 167Z5-1082EG | Passenger Seat | Seats | Avio Interiors | 25-24-77 CAT Server | 25-24-77 | C6 | X | X | X | X | | 01.01.2009 | |
| 4184X00X-12X-AE | Passenger Seat Q400 | Seats | Avio Interiors | 25-26-43 DHC online | 25-26-43 | C6 | X | X | X | X | | 21.05.2021 | |
| 9407series | Passenger Seat | Seats | ZODIAC/Sicma Aero Seat | 25-28-15 CAT Server | 25-28-15 | C6 | X | X | X | X | | 01.01.2009 | |
| S182x502-(xx) | Transmitter, KANNAD ELT Locator | Emerg. Unit | OROLIA | 25-63-05 online | 25-63-05 | C6 | | | | | Program-ming & maintenance level 2 | 21.05.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 9 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|-------------------------|---------------------------------|-------------------|-----------------------------|---------------------|-------------|--------|---------|-----------|-------|----------------|-------------------------------------|------------|-------------------|
| S1840501-(xx) | Transmitter, KANNAD ELT Locator | Emerg. Unit | OROLIA | 25-63-07 online | 25-63-07 | C6 | | | | | Program-ming & mainte-nance level 2 | 21.05.2021 | |
| S185(x)501-(xx) | Transmitter, KANNAD ELT Locator | Emerg. Unit | OROLIA | 25-63-08 online | 25-63-08 | C6 | | | | | Program-ming & mainte-nance level 2 | 21.05.2021 | |
| 9501(XXX)-1(XX) | BIN ASSY END CAP ASSY | Assy_mech | SAFRAN CABIN | 25-27-43 DHC online | 25-30-00 | C6 | X | X | X | X | | 01.11.2022 | 26.10.2022 |
| D992(XXX)-(X)0(X) | BIN ASSY END CAP ASSY | Assy_mech | SAFRAN CABIN | 25-27-43 DHC online | 25-30-00 | C6 | X | X | X | X | | 01.11.2022 | 26.10.2022 |
| 9664001-103 | GALLEY ASSY | Assy_mech | SAFRAN CABIN | 25-33-51 DHC online | 25-33-51 | C6 | X | X | X | X | OEM Sup-port | 01.11.2022 | 26.10.2022 |
| 9663X01-103XX | GALLEY ASSY | Assy_mech | SAFRAN CABIN | 25-32-52 DHC online | 25-32-52 | C6 | X | X | X | X | OEM Sup-port | 01.11.2022 | 26.09.2023 |
| D145001-103 | GALLEY ASSY | Assy_mech | SAFRAN CABIN | 25-33-50 DHC online | 25-33-50 | C6 | X | X | X | X | OEM Sup-port | 01.11.2022 | 26.10.2022 |
| 1008600-X0X | Passenger Seat | Seats | B/E Aerospace | 25-20-52 DHC online | 25-20-52 | C6 | X | X | X | X | | 10.05.2023 | 10.05.2023 |
| ELT9(X) A 25 60 000 000 | ELT | Emerg. Unit | ATR | 25-62-02 CAT Server | 25-26-02 | C6 | X | X | X | X | Battery, program-ming | 31.07.2023 | 31.07.2023 |
| 1240XX-X0X | Dado Panel Assemblies | Assy_mech | Zodiac Aero-space | 25-62-16 DHC online | 25-62-16 | C6 | X | X | X | X | | 25.09.2023 | 25.09.2023 |
| 1008600-X0X | Passenger Seat | Seats | B/E Aerospace Seating Group | 25-20-52 DHC online | 25-62-16 | C6 | X | X | X | X | | 25.09.2023 | 25.09.2023 |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 10 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|-------------|-------------|-------------------|-----|-----|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
|-------------|-------------|-------------------|-----|-----|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|

Category C8

| | | | | | | | | | | | | | |
|--------------|----------------|---------------------|--------------|------------------------|----------|----|---|---|---|---|--|------------|--|
| 82700061-XXX | Spoiler clutch | mechanic, structure | De Havilland | 27-14-00 DHC online | 27-14-00 | C8 | X | X | X | X | | 04.05.2023 | |
|--------------|----------------|---------------------|--------------|------------------------|----------|----|---|---|---|---|--|------------|--|

Category C13

| | | | | | | | | | | | | | |
|--------------|------|------------|-----------|----------------------------|----------|-----|--|--|--|---|--------------|------------|--|
| 2100-4XXX-XX | DFDR | Electronic | L3Harris | IOM FA2100FDR online | 31-31-00 | C13 | | | | X | only readout | 04.05.2023 | |
| 1607-XX-XX | FDR | Electronic | Universal | 23-70-09 CAT Server | 23-70-08 | C13 | | | | X | only readout | 04.05.2023 | |
| 8SC5009-XXX | FDR | Electronic | Universal | 23-70-09 CAT Server | 23-70-08 | C13 | | | | X | only readout | 04.05.2023 | |

Category C14

| | | | | | | | | | | | | | |
|--|---------------------|-----------|--------------|-----------------------------------|----|-----|---|---|---|---|--|------------|--|
| 90002024 (2610701-2), 90002024-1 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-41-34 AP-857 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 90002021 (2610485-1) 90002021-1 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-46-37 AP-859 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| AHA2225 | Wheel DO 328 Jet | Assy_mech | Meggitt/ABSC | 32-44-54 AP-2152 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 11 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|---|----------------------------|-------------------|--------------|-----------------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| AHA 2226 | Wheel DO 328 Jet | Assy_mech | Meggitt/ABSC | 32-44-55 AP-2153 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 9544207 | Wheel Learjet 60 | Assy_mech | Meggitt/ABSC | 32-46-14 AP-494 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5011740 | Wheel Learjet 60 | Assy_mech | Meggitt/ABSC | 32-42-11 AP-742 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5010598, 5010598AB, 5015098-1, 5010598-1AB | Wheel Challenger 604 | Assy_mech | Meggitt/ABSC | 32-46-27 AP-714 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5012373 | Wheel Challenger 604 | Assy_mech | Meggitt/ABSC | 32-42-28 AP-767 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5010736-2 | Wheel Saab 2000 | Assy_mech | Meggitt/ABSC | 32-46-21 AP-729 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5010737-2 | Wheel Saab 2000 | Assy_mech | Meggitt/ABSC | 32-46-28 AP-728 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 5006618, 5006618-1, 5006618-2, 5006618-3 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-40-69 AP-587 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 12 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|----------------------------------|---------------------------|-------------------|--------------|--------------------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 5006528 5006528-1 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-46-18 AP-588 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 2610701-2 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-41-34 AP-857 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 2610485-1 | Wheel DO 328 | Assy_mech | Meggitt/ABSC | 32-46-37 AP-857 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 3-1575 | Wheel Q400 | Assy_mech | Goodrich | 32-48-34 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 3-1573-1 3-1573-2 3-1573-3 | Wheel Q400 | Assy_mech | Goodrich | 32-48-32 ATS Server DHC online | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 3-1574 | Wheel Q400 | Assy_mech | Goodrich | 32-48-35 ATS Server DHC online | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 3-1560 | Wheel Global BD 700 | Assy_mech | Goodrich | 32-48-23 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| 3-1563 3-1563-1 | Wheel Global BD 700 | Assy_mech | Goodrich | 32-48-22 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 13 of 18

**Appendix I to UK CAA MOE Issue 2
Component Maintenance Capability**

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|--|---|-------------------|----------------|------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 3-1599 | Wheel Global BD 700 | Assy_mech | Goodrich | 32-48-30 ATS Server | 32 | C14 | X | X | X | X | | 01.01.2024 | |
| Category C18 | | | | | | | | | | | | | |
| 32P158 series 32158 series 31158 series 52SP158 series | Pneumatic De-Icers (Wing) | Assy_mech | Zodiac Aerazur | 30-11-41 CAT Server | 30-11-41 | C18 | X | | | X | | 01.01.2009 | |
| 51S16236-1 51SP16243-1 51SP16253-1 | BOOT ASSY, DE-ICING WING EXTENTION (LH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 85720302-006 85720313-006 85720304-006 85720325-002 85720326-002 | LEADING EDGE ASSY (RH) | Assy_mech | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16235-2 51SP16242-2 51SP16252-2 | BOOT ASSY,DE- ICING WING OUTDB (RH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 85720302-005 85720313-005 85720304-005 85720325-001 85720326-001 | LEADING EDGE ASSY (LH) | Assy_mech | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16235-1 51SP16242-1 51SP16252-1 | BOOT ASSY,DE- | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 14 of 18

**Appendix I to UK CAA MOE Issue 2
Component Maintenance Capability**

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mod. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|---|---|-------------------|------------|-----|-------------|--------|---------|-----------|------|----------------|---------------------|------------|-------------------|
| | ICING WING OUTDB (LH) | | | | | | | | | | | | |
| 51S16236-2 51SP16243-2 51SP16253-2 | BOOT ASSY, DE-ICING WING EXTENTION (RH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16219-2 51SP16239-2 51SP16249-2 | BOOT ASSY, DE-ICING CTR WING OUTBD(RH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16219-1, 51SP16239-1 51SP16249-1 | BOOT ASSY, DE-ICING CTR WING OUTBD(LH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16218-2 51SP16238-2 51SP16248-2 | BOOT ASSY, DE-ICING CENTRE WING INBD (RH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51S16218-1, 51SP16238-1 51SP16248-1 | BOOT ASSY, DE-ICING CENTRE WING INBD (LH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| 51SP16217-2 51SP16246-2 51SP16256-2 | BOOT ASSY, DE-ICING WING INBD (RH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 15 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|---|---|-------------------|------------|-----|-------------|--------|---------|-----------|-------|----------------|---------------------|------------|-------------------|
| 51SP16217-1 51SP16246-1 51SP16256-1 | BOOT ASSY, DE-ICING WING INBD (LH) | Boot | Bombardier | AMM | 30-11-66 | C18 | X | | | X | | 19.03.2021 | |
| L3B9253 3053625-01 3053827-01 | DUCT, INLET,LWR COWL | Assy_mech | Bombardier | AMM | 30-11-71 | C18 | X | | | X | | 22.03.2021 | |
| 51SP16225-1 51SP16247-1 51SP16257-1 | BOOT ASSY, DE-ICING NACELLE | Boot | Bombardier | AMM | 30-11-71 | C18 | X | | | X | | 22.03.2021 | |
| 51SP16216-1 51SP16245-1 51SP1655-1 | BOOT ASSY, DE-ICING CTR WING (LH) | Boot | Bombardier | AMM | 30-11-76 | C18 | X | | | X | | 19.03.2021 | |
| 85720220-007 85720220-008 | LEADING EDGE ASSY, CENTER WING (LH- RH) | Assy_mech | Bombardier | AMM | 30-11-76 | C18 | X | | | X | | 19.03.2021 | |
| 51SP16216-2 51SP16245-2 51SP16255-2 | BOOT ASSY, DE-ICING CTR WING (RH) | Boot | Bombardier | AMM | 30-11-76 | C18 | X | | | X | | 19.03.2021 | |
| 85517022-001 85517022-5001 85517002-951 85517022-005 85517022-005SP | LEADING EDGE ASSY, INBD (LH) | Assy_mech | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |
| 51S16232-1, 51SP16241-1 51SP16251-1 | BOOT ASSY, DE-ICING | Boot | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 16 of 18

**Appendix I to UK CAA MOE Issue 2
Component Maintenance Capability**

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mod. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|---|---|-------------------|--------------------------------|------------------------|-------------|--------|---------|-----------|------|----------------|---------------------|------------|-------------------|
| | HORIZ STAB (LH) | | | | | | | | | | | | |
| 51S16232-2, 51SP16241-2 51SP16251-2 | BOOT ASSY, DE-ICING HORIZ STAB (RH) | Boot | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |
| 51S16237-1, 51SP16244-1 51SP16254-1 | BOOT ASSY, DE-ICING HORIZ STAB (LH) | Boot | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |
| 85517022-002 85517022-5002 85517002-952 85517022-006 | LEADING EDGE ASSY, INBD (RH) | Assy_mech | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |
| 51S16237-2, 51SP16244-2 51SP16254-2 | BOOT ASSY, DE-ICING HORIZ STAB (RH) | Boot | Bombardier | AMM | 30-11-81 | C18 | X | | | X | | 22.03.2021 | |
| 85537093-005 85537093-015 85537910-001 85537910-003 | LEADING EDGE ASSY VERTICAL STABILIZER | Assy_mech | Bombardier | AMM | 30-11-86 | C18 | X | | | X | | 22.03.2021 | |
| 51S16224-1 51SP16240-1 51SP16250-1 | BOOT ASSY, DE-ICING FIN | Boot | Bombardier | AMM | 30-11-86 | C18 | X | | | X | | 22.03.2021 | |
| 31P172-27-1 31P172-32-1 31P172-33-1 31P172-35-1 | Pneumatic De-icer (En- gine PW124 and PW127) | Assy_mech | Zodiac Aero- safety Systems | 30-21-65 CAT Server | 30-21-65 | C18 | X | X | | X | | 19.03.2021 | |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 17 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|--|----------------------------------|-------------------|------------|------------------------|-------------|--------|---------|-----------|-------|----------------|-------------------------------|------------|-------------------|
| S5741004 series S57412006 series | Leading Edge Assembly | Assy_mech | ATR | 57-42-11 CAT Server | 57-42-11 | C18 | X | X | | X | | 19.03.2021 | |
| S0041012 series, S57410038 series S57412114 series S57412117 series | Leading Edge Assembly | Assy_mech | ATR | 57-43-11 CAT Server | 57-43-11 | C18 | X | X | | X | | 19.03.2021 | |
| S004104 series S57410042 series S5741005 Series | Leading Edge Assembly | Assy_mech | ATR | 57-43-12 CAT Server | 57-43-12 | C18 | X | X | | X | | 19.03.2021 | |
| S5411025 series S54112759 series | Air Intake Leading Edge Assembly | Assy_mech | ATR | 71-61-61 CAT Server | 71-61-61 | C18 | X | | | X | | 19.03.2021 | |
| S54110609 series S54112656 series S54112670 series S54115619 series | Duct Assembly | Assy_mech | ATR | 71-62-62 CAT Server | 71-62-62 | C18 | X | | | X | | 19.03.2021 | |
| 87144300-(XXX) | COWL ASSY NACELLE LWR | Assy_mech | Bombardier | AMM | 30-11-19 | C18 | X | | | X | Boot replacement / Insp. Test | 24.07.2023 | 24.07.2023 |
| S5517200000XXX | Leading edge | Assy_mech | ATR | 55-12-00 CAT Server | 55-12-00 | C18 | X | | | X | Boot replacement / Insp. Test | 31.07.2023 | 31.07.2023 |
| S5741212X0XXXX | Leading edge | Assy_mech | ATR | 57-43-12 CAT Server | 57-43-12 | C18 | X | | | X | Boot replacement / Insp. Test | 31.07.2023 | 31.07.2023 |



Contact Air Technik GmbH
UK.145.01478

Form: Appendix I.
Issue: 2 Rev.: 0
Date: 16.04.2024
Page.: 18 of 18

Appendix I to UK CAA MOE Issue 2 Component Maintenance Capability

| Part Number | Description | Internal Category | OEM | CMM | ATA Chapter | Rating | Re-pair | Over-haul | Mo d. | Insp. / Tested | Other / Restriction | Date Added | Indirect approval |
|----------------|-------------------------|-------------------|-----|------------------------|-------------|--------|---------|-----------|-------|----------------|---------------------------------------|------------|-------------------|
| S5411561000X | Leading edge | Assy_mech | ATR | 30-21-65 CAT Server | 30-21-65 | C18 | X | | | X | Boot re- placement / Insp. Test | 31.07.2023 | 31.07.2023 |
| S5411561000054 | Struct front ass LH | Assy_mech | ATR | 30-21-65 CAT Server | 30-21-65 | C18 | X | | | X | Boot re- placement / Insp. Test | 31.07.2023 | 31.07.2023 |
| S5411561700100 | Oil Cooler duct assy | Assy_mech | ATR | 30-21-65 CAT Server | 30-21-65 | C18 | X | | | X | Boot re- placement / Insp. Test | 31.07.2023 | 31.07.2023 |
| S5411561900000 | Duct Assy | Assy_mech | ATR | 71-62-62 CAT Server | 71-62-62 | C18 | X | | | X | Boot re- placement / Insp. Test | 31.07.2023 | 31.07.2023 |
| S5411561900100 | Duct Assy Left | Assy_mech | ATR | 71-62-62 CAT Server | 71-62-62 | C18 | X | | | X | Boot re- placement / Insp. Test | 31.07.2023 | 31.07.2023 |

Category C20

| | | | | | | | | | | | | | |
|---------------------|-------------|------------------------|---------------------------------|--------------------------------------|----|-----|---|--|--|---|--|------------|--|
| 001A539A549000 0 | Floor panel | mechanic, structure | DO 328 Support Services GmbH | TM-SRM - 300493-ALL ATS Server | 53 | C18 | X | | | X | | 01.01.2024 | |
|---------------------|-------------|------------------------|---------------------------------|--------------------------------------|----|-----|---|--|--|---|--|------------|--|